§420.24

- (ii) Physical capability as required for such taking; or
- (iii) The total allocable flow without augmentation by the Commission, using a seven-day, ten-year, low-flow criterion measured at the point of withdrawal or diversion.
- (2) Physical capability means the capacity of pumps, water lines and appurtenances installed and operable, determined according to sound engineering principles. The physical capability specifically includes plant facilities actually using water, but excludes facilities which may have been installed in anticipation of future plant expansion not yet realized.
- (c) Whenever adequate records of legal entitlement for agricultural irrigation purposes are not available to the Commission, such legal entitlement shall be measured by the maximum number of acres under irrigation by the water user at any time during the year ending March 31, 1971, allowing one acre-foot of surface water annually per acre irrigated.
- (d) Notwithstanding the provisions of paragraphs (a), (b) and (c) of this section, there shall be no charge for water made available from storage where:
- (1) The cost of the storage facility has or will be otherwise paid for by the user,
- (2) Such storage controls a drainage area, and
- (3) The use does not exceed the yield of such storage without augmentation from other surface water of the basin.

§ 420.24 Effective date of rates.

Rates and charges shall apply to all water users not exempt hereunder on and after the date of the first impoundment of water for water supply purposes at the Beltzville Reservoir (February 8, 1971), or the effective date hereof, whichever is later.

ENTITLEMENT: MEASUREMENT: BILLING

§ 420.31 Certificate of entitlement.

(a) The Executive Director will issue to each known water user a certificate of entitlement within 30 days after the effective date of these regulations subject to the provisions of paragraph (b). In addition, any other water user may apply for a certificate of entitlement

- at any time. A preliminary notice of entitlement shall be issued to each user. Such entitlement shall become final and take effect, unless the user shall file with the Commission, within 20 days after the service of the notice of entitlement, a request for hearing by the Commission. At such hearing the water user may show cause why the proposed entitlement shall not take effect.
- (b) The Executive Director shall schedule a hearing to be held not less than ten days after receipt of a request for a hearing by the Commission. Hearings shall be conducted and the results thereof subject to review in accordance with Article 5 of the Commission's rules of practice and procedure.
- (c) A final certificate of entitlement will be issued either upon expiration of the time to request a hearing, where there has been no request, or in accordance with the determination of a hearing where one is held.
- (d) A certificate of entitlement is not transferable, except as provided in paragraphs (e) and (f) of this section. For the purposes of this section, transfer shall mean any sale or other conveyance by a holder of a certificate of entitlement involving a specific facility and shall include any transfer which results in a change of ownership and/or control of the facility or of the stock, or other indicia of ownership of a corporation which holds title to the facility.
- (e) Whenever ownership or possession of land in agricultural use is transferred, a certificate of entitlement with respect to such land shall be deemed to run with the land, so long as the water use continues to be for agricultural irrigation. Upon any such land transfer, the Executive Director will reissue a certificate of entitlement to the new user.
- (f) A certificate of entitlement may be transferred in connection with a corporate reorganization within any of the following categories:
- (1) Whenever property is transferred to a corporation by one or more persons solely in exchange for stock or securities of the same corporation, provided that immediately after the exchange the same person or persons are